

SUBJECT INDEX

A

- application technology
 - adjuvants 383
 - behavioral modifiers 383, 385
 - chemigation 399
 - efficiency 390, 460, 534, 858
 - formulations 380, 633
 - history 379
 - insecticides and miticides 380, 387, 460, 858
 - meteorological variables 380, 460
 - microbials 380, 386, 534
 - regulation 397, 833
 - release of predators and parasites 400
 - safety 397, 400
 - spray deposits 381, 383, 384, 390

B

- behavior-modifying chemicals
 - insect and mite pests 8, 9, 405
 - parasites 88, 420, 518, 529
 - pheromones 8, 405
 - predators 88, 420

biology

- insect and mite pests 2, 8, 18, 20, 23, 25, 30, 32, 34, 38, 40, 42, 43, 45, 48, 156
- microbial organisms 168, 173, 179, 181, 185, 187, 191, 193, 196, 200, 531
- parasites 117, 119, 120, 123, 126, 127
- predators 94, 98, 104, 108

biological control

- applications 88, 89, 125, 129, 512, 537, 747
- augmentation 88, 125, 514, 517, 521, 526, 529
- Bt* cotton 347, 467, 535, 581, 846, 859
- classical 88, 512, 515, 519, 525
- conservation 88, 513, 515, 520, 525, 527, 606
- microbial organisms 163, 386, 530
- parasites 88, 115, 119, 122, 125, 127, 138-142, 400, 421, 514
- predators 88, 94, 97, 103, 107, 131-138, 400, 514
- semiochemicals 518, 529
- suppression 87, 518, 519, 522, 526, 531, 533, 537, 606

boll weevil

- biology and ecology 2, 8, 18
- history of invasion and spread 1, 328, 471, 625, 626
- impact on production 2, 325, 447, 471, 627
- key pest 2, 324, 629, 795
- pheromone 8, 9, 408, 611, 633, 685

- reproductive-diapause control 8, 633, 634, 701, 848
- resistance development 6, 283, 454, 630, 677
- secondary pest outbreaks 1, 5, 164, 448, 456, 459, 629, 631, 696, 796
- suppression tactics 8, 610, 685, 703
- trapping 12, 279, 409, 634, 641

boll weevil eradication

- economics 411, 628, 638, 647, 789, 795-811
- experiment 12, 409, 610, 633, 796
- justification 11, 628
- pesticide savings 452, 638, 647, 670, 790, 799-804
- principles 8, 640, 649
- programs 8, 12, 328, 409, 639, 640, 646, 662
- technology development 11, 409, 546, 611, 632
- trial 12, 409, 548, 637, 662, 796

C

chemical control

- application technology 379, 460, 858
- costs 362, 761
- efficacy 5, 448, 457, 460-465
- future 11, 322, 466, 858
- history 3, 5, 283, 447, 449, 452, 457, 656, 743
- recommendations 458, 461, 465, 466, 665, 679, 699, 858
- regional use 5, 449, 452, 457, 465, 656, 759

computer

- decision aids 10, 217, 230, 517, 710, 752
- expert systems 236
- models 10, 90, 207, 229, 251, 516, 710, 752

cultural control

- earliness 2, 4, 8, 486-492, 496, 615, 856
- habitat modification/removal 503
- harvest aids 4, 8, 472, 480, 484, 485, 496
- planting dates 4, 268, 485, 492, 501, 702, 749, 856
- regulation 4, 481, 485, 703, 731
- row configuration 270, 493
- sanitation 2, 4, 472, 484
- short-season cotton 10, 272, 489-492, 496-499, 615, 703, 787
- stalk destruction 2, 4, 8, 472-479, 485, 703, 731, 856
- strip/trap cropping 2, 504, 505, 747, 856
- tillage 472, 484
- winter irrigation 4, 472, 484, 749

E

earliness

- benefits 4, 10, 788, 822
- crop phenology 822
- genetic 486-492, 564
- harvest aids 4
- short-season cotton 4, 10, 489-492, 496-499, 565, 615, 703, 787, 822

economics

- benefit-cost analysis 253, 782, 785, 791, 806
- boll weevil eradication 8, 638, 647, 664, 795, 806
- costs 360, 511, 755, 761, 774, 801
- impact 511, 755, 762, 774, 815, 828
- losses to pests 324, 325, 360, 511, 755, 762, 774

G

genetic control

- applications 150, 433, 537, 544-546
- mutations 540
- sterile insects 150, 401, 433, 436, 439, 540
- sterility types 539, 540, 541, 553, 558, 559

H

host plant resistance

- applications 564, 596, 857
- earliness 564
- germplasm sources 564
- morphological traits 565
- resistance to pests 564

I

insect and mite pests

- biology and ecology 2, 8, 18, 20, 23, 25, 30, 32, 34, 38, 40, 42, 43, 45, 48
- color plates 69-85
- damage guide 51-56
- economic impact 755, 762, 795
- historical developments 1, 5, 6, 9, 148, 156, 205, 283, 447, 454, 458, 468, 496, 625
- identification guide 57-67
- microbial organisms 163, 165, 530
- movement 144, 857
- parasites 2, 87, 115, 119, 122, 125, 127, 138-142, 515
- predators 2, 87, 94, 97, 103, 107, 110, 131-138, 515
- rearing 7
- resistance development 6, 7, 323, 452, 455, 457, 458, 745
- yield losses 324, 325, 360, 761, 778

insect and mite management programs

- area-wide suppression 377, 501, 602, 613, 619, 622, 690, 748, 856

- beltwide regions 4, 10, 607, 613, 655, 674, 695, 741

benefit-cost analysis 617, 781

- extension 3, 9, 660, 678, 709, 721, 735, 747, 751, 844, 854

- historical developments 2, 5, 8, 205, 447, 458, 471, 496, 603, 610, 656, 674, 696, 720, 742

- implementation 4, 8, 9, 602, 616, 623, 662, 697

- integrated pest management 2, 3, 9, 10, 206, 458, 512, 603, 622, 659, 678, 708, 746, 781, 853, 859

- recommendations 665, 679, 696, 699, 720, 722, 726, 748, 843

- sampling/scouting 3, 278, 605, 616, 659, 677, 681, 689, 709, 855

insecticides and miticides

- classification 285, 344

- effects on natural enemies 3, 5, 34, 47, 87, 92, 102, 118, 119, 124, 519

- efficacy 5, 276, 448, 449, 453, 457, 460-465
- metabolism 284, 298, 307, 309, 313, 316, 318, 319, 342

- microbials 448, 467

- modes of action 284, 285, 288, 321, 462

- recommendations 461, 465, 466

- registration 454, 456, 457, 832

- regulation 301, 334, 833

- resistance 6, 7, 9, 276, 283, 301, 302, 308, 320, 321, 323, 355, 359, 365, 452, 454, 455, 457, 458, 463

- resistance management 7, 284, 321, 322, 329, 370, 457

- strategies for use 5, 7, 9, 322, 330, 367, 370, 373, 447, 456, 458, 466

- synergism 303, 317, 456, 463

- toxicology 284

- types of resistance 337

M

microbial organisms

- Ascovirus* sp. 177

- Bacillus thuringiensis* 192, 287, 307, 448, 467, 532, 533, 555

- Baculovirus heliothis* 165, 166, 170-172, 531, 533

- Beauveria bassiana* 191, 192, 386, 467, 532, 535

- Chloriridovirus* sp. 175

- Entomophaga aulicae* 181, 182

- Entomophthora* sp. 181

- Erynia* sp. 181-183

- Heterorhabditis heliothidis* 201

- Hexanermis* spp. 200

- Iridovirus* sp. 175

- Leptomonas serpens* 194

- Leptomonas pyrthocoris* 194
Mattesia grandis 194, 195, 535
Neozygites floridana 184, 185, 188
Neozygites fresenii 183, 687, 688
Neozygites parvispora 184
Nomuraea (Spicaria) rileyi 187, 189, 190, 532, 535
Nosema gasti 198
Nosema trichoplusia 198
Nosema heliothidis 198, 199
Pandora sp. 181-183
Serratia marcescens 192
Steinernema carpocapsae 201
Steinernema riobravus 201, 536
Vairimorpha necatrix 198
 bacterial pathogens 192, 462, 530, 532
 biology and ecology 168, 169, 173, 179, 181, 188, 191, 194, 196, 200, 531
 efficacy 534, 536
 epidemiology 169, 172, 178, 180, 184, 188, 193, 198
 fungal pathogens 179, 181, 187, 191, 467, 530, 532
 nematodes 199, 530, 553
 protozoan pathogens 193-195, 530
 viral pathogens 164, 173, 175, 176, 179, 530, 531
- modeling
 applications 10, 207, 229, 236, 243, 255, 606, 752
 cotton insect models 108, 114, 208, 237, 252, 516, 710
 decision aids 10, 90, 217, 230, 255, 517, 606, 710, 752
 future 10, 243, 282
 population modeling 207
 systems analysis 207
- movement of insects and mites
 dispersal 144, 152, 160, 636, 857
 short-range 144, 147, 152, 153, 156
 long-range 20, 144, 145, 149, 152, 153, 156
 migration 20, 144, 145, 150, 152, 158, 608, 857
- P**
- perspectives
 cooperation 847
 crop phenology 815, 828
 environmental issues 831-841
 future 11, 13, 243, 321, 841, 843, 859
 insect management 9, 11, 13, 89, 129, 130, 206, 376, 426, 466, 506, 537, 560, 596, 622, 649, 672, 737, 815, 848, 853, 860
 research 9, 129, 466, 817, 828, 854, 860
 roles 843, 860
- pheromones
 delivery systems 8, 386, 406, 412
 insect and mite pests 8, 360, 405, 407, 633
 other behavior-modifying chemicals 405, 421
 trap index 685, 702
 trapping 149, 409, 417, 467, 606, 633, 684
- predators and parasites
 biological control 87-89, 129, 512, 606
 biology and ecology 89, 94, 98, 104, 108, 117, 120, 123, 126
 color plates 131-142
 economic impact 114, 274
 effects of pesticides 3, 5, 6, 34, 47, 87, 92, 102, 118, 124, 454, 631
 efficacy 88, 89, 97, 102, 106, 109, 111, 117, 129, 517-519, 526, 528, 747
 habitat manipulation 89
 hosts 89, 91, 115, 117, 123, 125, 127
 prey 89, 91, 96, 97, 102, 109, 111, 113, 114
 semiochemicals 88, 91, 102, 118, 121, 124, 128, 405, 421, 424
- R**
- rearing
 applications 7, 432
 synthetic diets 7, 429, 523, 529, 538, 633
 systems 429, 430
 technology transfer 430, 442
- regulation
 Environmental Protection Agency 206, 301, 455, 458, 465, 511, 631, 831
 pesticide registration 454, 456-458, 465, 832
 safety 397, 831, 834, 837
 worker protection 397, 831, 837, 838
- resistance
 development 6, 9, 283, 323, 327, 355, 359, 365, 448, 452, 454, 455, 457, 458, 463, 630, 661, 676, 745
 host plant 563
 insecticide 6, 283, 301, 302, 308, 320, 321, 323, 455, 457, 458, 660, 839
 management 7, 11, 283, 321, 322, 329, 339, 358, 370, 448, 457, 661, 683, 841, 849, 858
 mechanisms 7, 308, 321, 323, 329, 367, 369
 monitoring 331, 335, 338, 348-355, 362, 712
 types 337
- S**
- sampling
 insect and mite pests 3, 278, 605, 616, 659, 677, 709, 855

- integrated pest management 4, 660, 855
 - methodology 680, 683, 689, 709, 713, 717
 - natural enemies 516, 616, 712, 725
 - thresholds 3, 279, 605, 616, 677, 709, 855
- suppression programs
- area-wide management 413, 440, 602, 619, 622, 690, 856
 - community-wide management 10, 147, 501, 615, 623, 748, 784
 - concepts 8, 602, 622, 709, 749
 - considerations 602, 604
 - eradication 4, 8, 11, 12, 410, 481, 611, 626, 637, 639, 662
 - goals 8, 11, 602, 853
 - methodology 4, 8, 609, 673
 - selected examples 4, 8, 10-12, 413, 440, 603, 610, 615, 618, 637, 690, 691, 748, 750, 785, 785
- synthetic diets
- beneficials 523, 529, 537
 - development 7, 430
 - pests 7, 430, 633
- T**
- thresholds
- benefits 253, 258
 - costs 253, 256
 - concepts 206, 251, 605
 - definition 253, 262, 605
 - economic 251, 259, 605, 709, 723, 818, 855
 - management decisions 3, 206, 231, 252, 255, 666, 680
 - sampling 3, 605, 677, 709
 - validation 231, 261, 711